



FOR CONSTRUCTION / MASONRY / TROWELS / Pointing trowels

Product reference

5903

Use

Pointing trowel with certified beech wood handle 125mm / 5903

Brand EAN code

Bellota 8414299135206

Prepare cement and mortar and apply it to construction supports. It won't let you down. Ideal for masonry finishes and touch-ups.

Bullet points

Prepare the cement mixture and spread it with the confidence that the pointing trowel will never break. Will last a lifetime. Forged in a single piece and manufactured in special Bellota steel. Heat treated. It won't wobble. Perfect fit between blade and handle in beech, smooth to the touch.

Description

Professional pointing steel trowel, forged in one single piece, maximum durability and total guarantee against breakage (unbreakable). Differentiated heat treatment on blade and key, no breakage, no deformation and no wear. Perfect handle-key joint. PEFC-certified beech wood handle with a pleasant touch and stainless steel ferrule. For finishing and plastering work in masonry.

Characteristics and attributes

Attributes

Blade size length x width (in mm): 125x75

www.bellota.com 1/3



Characteristics

Usage: Prepare cement and mortar and apply it to construction supports. It won't let you down. Ideal for masonry finishes and

touch-ups.

Blade material: Steel

Handle material: Beech wood Blade width (in mm): 75

Conical blade

Forged in one piece

Blade-handle joint resistance: 600 Kg

Item dimensions

Article length (in mm) Article width (in mm) High ar

High article (in mm)

Net weight (in kg)

90 75 240 0.203

Gross Weight (Kg)

0.253

Finishes

Material Colour Finish

Steel, Beech wood Metallic, Wood Varnished blade, Varnished

handle

Classification and certifications

Tariff code Certification

82055910 PEFC

Spare parts and accessories

Related articles (Spares)

www.bellota.com 2/3





M 5842-D Certified beechwood handle for pointing trowel / M 5842-D

www.bellota.com 3/3